

DECORATIVE COLLECTION



CONCORD RAIL

The Stelrad Concord Rail offers a stunning alternative to tubular towel rails, with its flat tube on tube. Offering visual appeal combined with advanced technology, the Stelrad Concord Rail provides a contemporary solution for a wide range of building applications.

RANGE	8
TYPES	<i>Straight Single</i>
HEIGHTS (MM)	731 - 1771
LENGTHS (MM)	450, 600
OUTPUTS (WATTS)	342 - 1010
OUTPUTS (BTU/HR)	1167 - 3446
COLOURS	36
WORKING PRESSURE	4 bar

Comes in White as standard (RAL 9016).







A7001 Silver grey



NT160 Pebble grey



Concord Rail



50 Δt

(75/65/20°C)

CONCORD RAIL SINGLE

Height mm	Length mm	Tap centres	Stelrad UIN	Heat output		Price excl VAT	Price incl VAT
				Watts	Btu/hr		
731	450	400	148581	342	1167	£245.26	£294.31
	600	550	148582	447	1525	£259.06	£310.87
1186	450	400	148583	530	1808	£310.21	£372.25
	600	550	148584	694	2368	£331.88	£398.26
1511	450	400	148585	666	2272	£354.77	£425.72
	600	550	148586	869	2965	£386.76	£464.11
1771	450	400	148587	777	2651	£401.38	£481.66
	600	550	148588	1010	3446	£433.08	£519.70

Δt 50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C.

If you have a low temperature heat source you may wish to consider Δt 40 or Δt 30 output (see your installer or system designer or download from www.stelrad.com).

For further assistance on colour option UINs and prices, please contact the sales admin team on 0844 543 6200.

EN 442 CERTIFICATION DATA - CETIAT TESTED IN ACCORDANCE WITH BS EN 442


Type	Single							
	731	731	1186	1186	1511	1511	1771	1771
Height	731	731	1186	1186	1511	1511	1771	1771
Length	450	600	450	600	450	600	450	600
W/m at 75/65/20	342	447	530	694	666	869	777	1010
n-coefficients	1.21	1.20	1.25	1.23	1.24	1.23	1.24	1.23
Heated surface area (m ² /m)	0.82	1.03	1.32	1.66	1.65	2.08	1.97	2.48
Weight (kg/m)	8.90	11.20	14.30	17.90	17.90	22.40	21.40	26.80
Water contents (l/m)	3.20	3.80	5.20	6.20	6.60	7.80	7.80	9.30

Concord Rail

 **Stelrad** Aqua Series


WALL MOUNTING INFORMATION

All dimensions in mm. Inches in brackets.



PIPING OPTIONS

Single



Piping options: BBOE (Bottom, Bottom, Opposite, End)

CONNECTIONS

Each radiator comes with $\frac{1}{2}$ " inlet connections as standard.

Colour Guide

A shade for every room, for every interior. Opt for warm elegance, baroque ambience or modern minimalism.


Colour information for the:

Vita Series - Vita Ultra*


Aqua Series - Caliente Rail, Caliente Curved Rail, Concord Rail & Vertical Ultra*

Designer Series - Compact with Style, Planar and Swing


Natural Colours




NT110
Papyrus white




NT120
Pearl white




NT130
Champagne




NT140
Beige




NT150
Beige grey



NT160
Pebble grey



NT170
Quartz grey



SN110
Cream white



SN120
Cream



SN130
Mocca



SN140
Bordeaux



SN150
Sepia



SN160
Pale blue



SN170
Black

Metallic Colours



ML110
Dove grey




ML120
Titanium grey



ML130
Blue grey




ML140
Granite



ML150
Cappuccino



ML160
Terra brown



ML170
Graphite black

RAL Colours




A1004
Golden yellow



A2003
Pastel orange



A3002
Carmine red



A3003
Robin red



A5002
Ultramarine blue




A6018
Yellow green



A7001
Silver grey



A7011
Iron grey




A7016
Anthracite grey



A7030
Stone grey



A7035
Light grey



A8017
Chocolate brown



A9003
Signal white



A9005
Jet black

*Please note: When choosing a colour for Vita and Vertical Ultra radiator only the front facia panel can be coloured. Emitter, top grille and side panels are black.



RAL 9016**
Traffic white
comes as
standard on
all radiators.

Stelrad Radiators are available in white (RAL 9016) as standard, however the specific Radiators identified are now available in a variety of colours.

The colours shown are reproduced as accurately as this process will allow and can be made to order on the identified products.